

BOMAG 2.5 t articulated tandem roller.

Flexible high-utilisation rollers with compaction control.



BOMAG 2.5 t articulated tandem roller.

BOMAG BW 100 and BW 120 – these new high-utility models feature low operating costs, superb performance and high comfort levels for the operator. For the first time in this roller class a system for continuous compaction control is available: the BOMAG ECONOMIZER.

Outstanding ergonomics developed in conjunction with experienced roller drivers

- Operator platform with top operating, seated and driving comfort as well as generous space
- Operating comfort travel lever on both sides with armrests (optional)
- Seated comfort the driver's seat can be shifted sideways (optional)
- Driving comfort the quietest machine with the lowest hand/arm vibrations in its class

Maximum safety

- Seat contact switch, emergency stop
- A choice of reverse travel warning systems (optional)
- High stability, anti-tip feature; safe transverse tilt up to 30°

Legendary quality

- BOMAG standard quality of all machine components for extended long-term availability
- High impact-resistant plastic hood
- Robust controls
- Cable protection with tied wiring looms
- Proven Kubota diesel engine and highest quality hydraulics

Reduced ownership costs

- Super-low diesel consumption: 35 I tank lasts
 12 operating hours
- Unbeatable resale values

Fleet management using BOMAG TELEMATIC.







BOMAG articulated tandem roller





Easy and safe to operate.

Options and accessories

- Chip spreader, sun roof with weather protection, optional lighting and much more
- Edge cutter and roller for either side

Extended utilisation

 Flexibility for asphalt, granular and earthwork materials with tandem or combination versions

Proven performance

 Fully documented supporting site examples on all material types

- Powerful and manoeuvrable rollers with large diameter drums, 50 mm crabwalk and gradeability up to 35 %
- No stop-go work: ample 220 I water tank and high capacity 35 I diesel tank

Easy servicing

- Daily visual inspections replace maintenance work – with quick, simple access
- The exciter system, articulated joint and steering cylinder are all maintenance-free
- Extended hydraulic service intervals
- Simple scheduling and monitoring using BOMAG TELEMATIC

ECONOMIZER – displays compaction status for early detection of soft spots.





Head Office / Hauptsitz: **BOMAG** Hellerwald 56154 Boppard GERMANY Tel. +49 6742 100-0 Fax +49 6742 3090

info@bomag.com

BOMAG Maschinenhandelsgesellschaft m.b.H. Porschestraße 9 1230 Wien AUSTRIA Tel. +43 1 69040-0 Fax +43 1 69040-20

austria@bomag.com

BOMAG (CANADA), INC. 3455 Semenyk Court Mississauga, Ontario L5C 4P9 CANADA

Tel. +1 905 361 9961 Fax +1 905 361 9962 canada@bomag.com

BOMAG (CHINA)

Compaction Machinery Co. Ltd. No. 2808 West Huancheng Road Shanghai Comprehensive Industrial Zone (Fengxian) Shanghai 201401

Tel. +86 21 33655566 Fax +86 21 33655508 china@bomag.com

BOMA Equipment Hong Kong LTD Room 1003, 10/F Cham Centre

700, Castle Peak Road Kowloon HONG KONG

Tel. +852 2721 6363 Fax +852 2721 3212 bomahk@bomag.com

BOMAG France S.A.S. 2, avenue du Général de Gaulle 91170 Viry-Châtillon

Tel. +33 1 69578600 Fax +33 1 69962660 france@bomag.com

FRANCE

BOMAG (GREAT BRITAIN), LTD.

Tel. +44 1622 716611 Fax +44 1622 718385 gb@bomag.com

BOMAG Italia Srl. Via Roma 50 48011 Alfonsine ITALY

Tel. +39 0544 864235 Fax +39 0544-864367 italy@bomag.com

> FAYAT BOMAG Polska Sp. z o.o. UI. Szyszkowa 52 02-285 Warszawa

POLAND Tel. +48 22 482 0400 Fax +48 22 482 04 01 poland@bomag.com

FAYAT BOMAG RUS 000 141400. RF. Moscow region Khimki, Klayazma block, h. 1-g

Tel. +7 (495) 287 92 90 Fax +7 (495) 287 92 91 russia@bomag.com

RUSSIA

BOMAG GmbH 300 Beach Road The Concourse, #18-06 Singapore 199555 SINGAPORE Tel. +65 6 294 1277

Fax +65 6 294 1377 singapore@bomag.com

BOMAG Americas, Inc. 2000 Kentville Road Kewanee, Illinois 61443 U.S.A.

Tel. +1 309 8533571 Fax +1 309 8520350 usa@bomag.com











































