




# Hydraulic drive double vibratory rollers (600 – 1000 kg) BW 62 H, BW 65 H and BW 75 H



## **Operator friendly**

*Comfortable steering handle design, ergonomically arranged controls and height-adjustable steering rod.*

## **Practical**

*Central single-point lifting eye and lateral tie-down lugs for fast and safe transport.*

## **Safer**

*Maximum safety with deadman control and reversing protection plus mechanical parking brake.*

## **On asphalt**

*Large-size, corrosion-free water tanks for extended use and reduced refill stops.*

## **Reliable**

*V-belt drive with all-round protection for use in extremely tough site conditions.*

## **Profitable**

*High compaction performance with proven synchronised double vibratory system.*

## **Economical**

*Large drum diameters for excellent surface results on asphalt and thicker drum shells for long life and no deformation.*

## Versatility

### Applications:

Our hydraulically driven double vibratory rollers are designed for a wide range of work on soil and asphalt. Suitable for the construction and repair of pavements, shoulders, bicycle tracks, forecourt and garage entrances, playgrounds as well as agricultural and forestry roads. The hydrostatic drive and large drum diameter are suited for use on bituminous layers. These machines give excellent surface finish on asphalt where shoving and cracking is reduced to a minimum. Among hirers

### Advantages:

- Excellent traction and climbing ability with hydrostatic all-drum drive
- High flexibility with infinitely variable speed control and sensitive operation for smooth starting and braking.
- Better climbing ability with synchronised exciter shafts.
- Good edge clearance and narrow lateral overhang for compaction along pavements, walls and other obstacles.



The BW 62 H gives outstanding compaction results.

these machines are popular because of their easy handling and almost maintenance-free design. The added safety and easy handling improves output and operator productivity. These features are very important for consistent compaction results.

- Self-cleaning drum for good traction and better surface finish with 2 scrapers.
- Integrated automatic low oil cut-off system for maximum operating safety, avoiding time and cost-consuming repairs.
- Vibration can be switched on or off to suit work in hand.
- The comfortable steering arm adjustment, ergonomically arranged controls and low-vibration steering handle significantly increase operator productivity.
- Large-size water tank for extended use and reduced refill stops, easy cleaning access.
- The electric start option, standard equipment on BW 75 H, is available on the BW 62 H and BW 65 H models.




Controls comply with CE legislation for maximum safety.



Central lifting eye and lateral tie-down lugs for fast and safe transportation.



Lower operating costs with easily accessible maintenance and service components.



Safety crank handle always at the machine (except BW 75 H).

## Our experience – your benefit

### The right choice for every application

*Our walk-behind double vibratory range is designed for general use on soils and asphalt. Depending on model and type these machines have an operating weight of approx. 600 to 1000 kg and are available with a working width of 600 mm to 750 mm. The narrow lateral overhang, the proven double vibratory system, easy handling and low centre of gravity, makes these models particularly suited to the construction and repair of pavements, shoulders, bicycle tracks, forecourt and garage entrances, playgrounds as well as agricultural and forestry roads.*

*For the compaction of bituminous materials these models are equipped with water tanks. The hydrostatic drive makes them well suited to asphalt work. The large drum diameter gives improved surface finish on bituminous layers where pushing and cracking of material is reduced to a minimum.*

*The proven double vibratory system gives better compaction results even on difficult materials.*

*Outstanding safety and operating comfort improves operator performance and productivity. Easy handling and operating comfort are the key to consistent compaction results. By their simple design, these models are almost maintenance-free. Service and operating costs are cut to a minimum.*

Best for  
**COMPACTION**

BOMAG provides local service and support no matter where your next contract is located.

As world market leader in compaction equipment, we offer you the widest range of products backed by expert support and advice aimed at keeping your operation profitable.

Modern manufacturing plants in Germany, USA and China together with licencees and partners around the world supply BOMAG rollers to global markets.

Regional customer care is centred on six branches in Germany, eight subsidiaries in Austria, Canada, China, France, Great Britain, Italy, Japan and USA, one sales office in Singapore and over 500 independent BOMAG dealers.

BOMAG Service. Everywhere and for every need. Our branches and dealers are backed by BOMAG's Central Parts warehouse where about 40,000 parts are held against customer requirements. You expect top service from BOMAG. We aim to provide it.

Quality! For the paint finish of the machine BOMAG as far as possible uses a high quality environmentally friendly powder coating, which excels by its excellent resistance against corrosion, scratching and ultraviolet light.

BOMAG. The world's foremost compaction company.

The machines illustrated may show optional equipment which can be supplied at additional cost. Specifications may change without notice.

- **Head Office/Hauptsitz:**  
BOMAG, Hellenwald, 56154 Boppard, GERMANY, Tel.: +49 6742 100-0, Fax: +49 6742 3090, e-mail: info@bomag.com, www.bomag.com
- **BOMAG Maschinenhandels-gesellschaft m.b.H.**, Pörschstraße 9, 1230 Wien, AUSTRIA, Tel.: +43 1 69040-0, Fax: +43 1 69040-20, e-mail: austria@bomag.com
- **BOMAG (CANADA), INC.**, 3455 Semenyk Court, Mississauga, Ontario L5C 4P9, CANADA, Tel.: +1 905 361 9961, Fax: +1 905 361 9962, e-mail: canada@bomag.com
- **BOMAG (CHINA) Compaction Machinery Co. Ltd.**, No. 2808 West Huancheng Road, Shanghai Comprehensive Industrial Zone (Fengxian), Shanghai 201401, CHINA, Tel.: +86 21 33655566, Fax: +86 21 33655508, e-mail: china@bomag.com
- **BOMAG FRANCE S.A.S.**, 2, avenue du Général de Gaulle, 91170 Viry-Châtillon, FRANCE, Tel.: +33 1 69578600, Fax: +33 1 69962600, e-mail: france@bomag.com
- **BOMAG (GREAT BRITAIN), LTD.**, Sheldon Way, Larkfield, Aylesford, Kent ME20 6SE, GREAT BRITAIN, Tel.: +44 1622 716611, Fax: +44 1622 718385, e-mail: gb@bomag.com
- **BOMAG Italia Srl.**, Z.I. Via Mella 6, 25015 Desenzano del Garda (BS), ITALY, Tel.: +39 030 9127263, Fax: +39 030 9127278, e-mail: italy@bomag.com
- **BOMAG Japan Co. Ltd.**, 12-7, Daidou-Cho 2-Chome, Akashi-City, Hyogo Pref 673-0029, JAPAN, Tel.: +81 78 924 1631, Fax: +81 78 924 1633, e-mail: japan@bomag.com
- **BOMAG Polska Sp. z o.o.**, Ul. Szyszakowa 52, 02 285 Warszawa, POLAND, Tel.: +48 22 482 0480, Fax: +48 22 482 04 01, e-mail: poland@bomag.com
- **Representative office of BOMAG GmbH**, Leninskij prospect, 1172, b. 4, Office 2307, 125315 Moscow, RUSSIA, Tel.: +7 (495) 287 92 90, Fax: +7 (495) 287 92 91, e-mail: russia@bomag.com
- **BOMAG GmbH**, 300 Beach Road, The Concourse, #38-03, Singapore 199555, SINGAPORE, Tel.: +65 294 1277, Fax: +65 294 1377, e-mail: singapore@bomag.com
- **BOMAG Americas, Inc.**, 2000 Kentville Road, Kewanee, Illinois 61443, U.S.A., Tel.: +1 309 8533571, Fax: +1 309 8520350, e-mail: usa@bomag.com

**BOMAG**  
FAYAT GROUP